ЖУРНАЛ СТРУКТУРНОЙ ХИМИИ

2021. Том 62, № 12 *Декабрь* *DOI: 10.26902/JSC_id84483*

SUPPLEMENTARY MATERIALS TO: FTIR SPECTRAL STUDIES OF THE BINARY SOLUTIONS OF ACETONE WITH XYLENE ISOMERS

S.P. Naganandhini[1], T. Sangeetha[2], G. Arivazhagan[2]

[1]*Department of Physics, Madurai Kamaraj University College, Madurai, Tamilnadu, Republic of India*
[2]*Department of Physics, Thiagarajar College, Madurai, Tamilnadu, Republic of India*
E-mail: arivuganesh@gmail.com

© Naganandhini S.P., Sangeetha T., Arivazhagan G., 2021




Fig. S1. FTIR spectra of a) pure ACT, b) pure OXY, and c) ACT 0.2+OXY 0.8 binary solution.




Fig. S2. FTIR spectra of a) ACT 0.4+OXY 0.6, b) ACT 0.6+OXY 0.4, and c) ACT 0.8+OXY 0.2 binary solutions.




Fig. S3. FTIR spectra of a) pure MXY, b) ACT 0.2+MXY 0.8, and c) ACT 0.4+MXY 0.6 binary solutions.




Fig. S4. FTIR spectra of a) ACT 0.6+MXY 0.4 and b) ACT 0.8+MXY 0.2 binary solutions.




Fig. S5. FTIR spectra of a) pure PXY, b) ACT 0.2+PXY 0.8, and c) ACT 0.4+PXY 0.6 binary solutions.




Fig. S6. FTIR spectra of a) ACT 0.6+PXY 0.4 and b) ACT0.8+PXY 0.2 binary solutions.